

# Fuel Pool Clean Up

## Product Recommendation

Spent fuel is handled and stored under water for safety. Fuel pool clean-up systems are employed to ensure quality and clarity of this water. DuPont provides special ion exchange resins in either single beds or mixed beds made from individual components or ready to use mixed beds that can be used for spent fuel pool clean-up systems. In certain cases reverse osmosis membranes can be used to upconcentrate the radioactive stream and thus reduce the waste amount to be treated.

TECHNOLOGY	PRODUCT	FEATURES AND RECOMMENDED USES	TYPE	MATRIX	MINIMUM TOTAL VOLUME CAPACITY (Eq/L)	IONIC FORM AS SHIPPED
ION EXCHANGE RESINS	INDIVIDUAL RESINS FOR CUSTOMIZED CHEMISTRY CONTROL <sup>1</sup>					
	AMBERLITE™ IRN97 H	High capacity 10% DVB uniform particle size cation resin for purification of fuel pool in VVER circuit #4 systems with good resistance to	SAC	GEL	2.10	H <sup>+</sup>
	AMBERLITE™ IRN99 H	Premium 16% DVB uniform particle size cation resin with very high capacity and oxidative stability. High selectivity for cationic radioisotopes and high total capacity for long runs resulting in reduced waste and exposure. The high oxidative stability results in reduced fuel pool sulfate concentration	SAC	GEL	2.50	H <sup>+</sup>
	AMBERLITE™ IRN9675 H	Nuclear grade macroporous cation resin designed to remove radioactive colloidal material in all nuclear applications. Often used	SAC	MACRO	1.70	H <sup>+</sup>
	AMBERLITE™ IRN78 OH	Premium high solids uniform particle size anion resin with very high capacity used for removal of anionic radioisotopes.	SBA	GEL	1.20	OH <sup>-</sup>
	AMBERLITE™ IRN9766 OH	Macroporous anion resin designed to remove radioactive colloidal material in all nuclear applications. Often used as an overlay above a mixed	SBA	MACRO	0.85	OH <sup>-</sup>
	READY TO USE MIXED BEDS					
	AMBERLITE™ IRN160 H/OH	High capacity nuclear grade mixed bed composed of uniform particle size AMBERLITE™ IRN97 H and IRN78 OH Resins on a 1:1 equivalent basis. Designed to minimize separation of anion and cation during installation	MB	GEL/GEL	2.10/1.20	H <sup>+</sup> /OH <sup>-</sup>
	AMBERLITE™ IRN170 H/OH	Premium nuclear grade mixed bed composed of uniform particle size AMBERLITE™ IRN99 H and IRN78 OH Resins on a 1:1 equivalent basis. Offers maximum oxidative stability and high operating capacity to achieve	MB	GEL/GEL	2.50/1.20	H <sup>+</sup> /OH <sup>-</sup>
	AMBERLITE™ IRN9882	Nuclear grade macroporous mixed bed composed of 40% cation resin (12% DVB) and 60% AMBERLITE™ IRN9766 OH Resins on a volume basis. Offers high exchange kinetics and the ability to remove colloids for highest decontamination rates.	MB	MACRO/MACRO	1.65/0.85	H <sup>+</sup> /OH <sup>-</sup>
REVERSE OSMOSIS	FILMTEC™ Elements	Please contact your DuPont representative for assistance.	N/A	N/A	N/A	N/A

**Key:**

<sup>1</sup> = Mixed beds using individual cation and anion must be prepared in-situ.

SBA = Strong Base Anion

SAC = Strong Acid Cation

MB = Mixed Bed

# Powering performance worldwide.

With a large global manufacturing footprint, strong R&D expertise and technical support services and systems, we supply high market volumes with high quality. DuPont partners with you, our customer, to understand unmet needs and develop tailored solutions.

## TECHNICAL SERVICE, RESEARCH & DEVELOPMENT

Chauny, France\*  
Edina, MN, USA  
Huzhou, China  
Hyderabad, India  
KAUST Jeddah, KSA  
Midland, MI, USA  
Shanghai, China  
Singapore  
Tarragona, Spain\*

## COMMERCIAL OPERATIONS

Astana, Kazakhstan  
Bangkok, Thailand  
Beijing, China  
Bogota, Colombia  
Buenos Aires, Argentina  
Budapest, Hungary  
Dubai, UAE  
Chengdu, China  
Delhi, India  
Edina, MN, USA  
Guangzhou, China  
HCM City, Vietnam  
Hong Kong, China  
Jakarta, Indonesia  
Johannesburg, South  
Africa  
Kuala Lumpur, Malaysia  
Madrid, Spain

Manila, Philippine  
Melbourne, Australia  
Mexico City, Mexico  
Midland, MI, USA  
Moscow, Russia  
Mumbai, India  
Nairobi, Kenya  
Paris, France  
São Paulo, Brazil  
Seoul, Republic of  
Korea  
Pfaeffikon, Switzerland  
Shanghai, China  
Singapore  
Surubya, Indonesia  
Taipei, Taiwan  
Tokyo, Japan  
Warsaw, Poland

## MANUFACTURING

Chauny, France  
Edina, MN, USA  
Fombio, Italy  
Huzhou, China  
Jubail Industry City,  
Saudi Arabia  
Midland, MI, USA  
Qingpu, China  
Soma, Japan

\* Global Water  
Technology Center

No freedom from infringement of any patent or trademark owned by DuPont or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where DuPont is represented. The claims made may not have been approved for use in all countries. DuPont assumes no obligation or liability for the information in this document. References to "DuPont" or the "Company" mean the DuPont legal entity selling the products to Customer unless otherwise expressly noted. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.



[dupont.com/water](http://dupont.com/water)

DuPont™, the DuPont Oval Logo, and all trademarks and service marks denoted with ™, SM or ® are owned by affiliates of DuPont de Nemours, Inc. unless otherwise noted. © 2019 DuPont.

Form No. 177-03674 CDP, Rev. 1